

## EAST Search History

Ref #	Hits	Search Query	DBs	Default Operator	Plurals	Time Stamp
S1	0	("datawithinputwithcollectorwithoperatorwithformnear2flowwithmetadata").PNL	US-PGRUB; USPAT; USOCR; FPRS; EPC; JPC; DERWENT; BM_TDB	OR	OFF	2008/07/11 10:27
S2	0	data with input with collector with operator with form near3 flow same metadata	US-PGRUB; USPAT; USOCR; FPRS; EPC; JPC; DERWENT; BM_TDB	OR	OFF	2008/07/11 10:27
S3	0	data with input with collector with operator with form near3 flow and metadata	US-PGRUB; USPAT; USOCR; FPRS; EPC; JPC; DERWENT; BM_TDB	OR	OFF	2008/07/11 10:28
S4	0	data with input with collector with operator with form near3 flow	US-PGRUB; USPAT; USOCR; FPRS; EPC; JPC; DERWENT; BM_TDB	OR	OFF	2008/07/11 10:28
S5	2	data with input with collect\$4 with form near3 flow	US-PGRUB; USPAT; USOCR; FPRS; EPC; JPC; DERWENT; BM_TDB	OR	OFF	2008/07/11 10:28
S6	8	form near3 flow same (data near5 collect\$4) with input	US-PGRUB; USPAT; USOCR; FPRS; EPC; JPC; DERWENT; BM_TDB	OR	OFF	2008/07/11 10:31
S7	3753219	data near4 collection same input same form (electronic or network or web)	US-PGRUB; USPAT; USOCR; FPRS; EPC; JPC; DERWENT; BM_TDB	OR	OFF	2008/07/11 10:33

S8	179	data near4 collection same input same form with (electronic or network or web)	US-PG Pub; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; BM_TDB	OR	OFF	2008/07/11 10:34
S9	16	data near4 collection same input same form with (electronic or network or web) and metadata	US-PG Pub; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; BM_TDB	OR	OFF	2008/07/11 10:34
S10	4	(system or method or means) near3 (data) near0 collection and form with input with electronic and metadata	US-PG Pub; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; BM_TDB	OR	OFF	2008/07/11 10:35
S11	14	(data) near0 collection and form with input with electronic and metadata	US-PG Pub; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; BM_TDB	OR	OFF	2008/07/11 10:38
S12	10	S11 not S10	US-PG Pub; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; BM_TDB	OR	OFF	2008/07/11 10:38
S13	0	collected\$4 near2 (data or information) with (form or input) with from	US-PG Pub; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; BM_TDB	OR	OFF	2008/07/11 10:41
S14	24624	collected\$4 near2 (data or information) with (form or input)	US-PG Pub; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; BM_TDB	OR	OFF	2008/07/11 10:41
S15	1	collected\$4 near2 (data or information) with (form or input) with operator same metadata	US-PG Pub; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; BM_TDB	OR	OFF	2008/07/11 10:42

S16	794	collected\$4 near2 (data or information) with (form or input) with operator	US-PG PUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; BM_TDB	OR	OFF	2008/07/11 10:42
S17	4	collected\$4 near2 (data or information) with (form or input) with operator same electronic same logic	US-PG PUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; BM_TDB	OR	OFF	2008/07/11 10:43
S18	37	collected\$4 near2 (data or information) with (form or input) with operator same electronic	US-PG PUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; BM_TDB	OR	OFF	2008/07/11 10:43
S19	13	collected\$4 near2 (data or information) with (form) near2 input with (applicant or patient or patron or customer or consumer or member)	US-PG PUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; BM_TDB	OR	OFF	2008/07/11 10:50
S20	0	scan\$4 with (document or paper) same ((data or information) with collector) same ((form\$1 near3 flow) or (form\$1 near3 (management or software or program)))	US-PG PUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; BM_TDB	OR	OFF	2008/07/12 16:41
S21	6	scan\$4 with (document or paper) same ((data or information) with collector) and ((form\$1 near3 flow) or (form\$1 near3 (management or software or program)))	US-PG PUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; BM_TDB	OR	OFF	2008/07/12 16:42
S22	7752	(data near3 collection) and ((form with flow\$2) or (form near3 (management or organization or software or module or program)) and ((data or information) near3 (collector or obtain or extract\$4)))	US-PG PUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; BM_TDB	OR	OFF	2008/07/12 16:45
S23	409	(data near3 collection) same ((form with flow\$2) or (form near3 (management or organization or software or module or program)) and ((data or information) near3 (collector or obtain or extract\$4)))	US-PG PUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; BM_TDB	OR	OFF	2008/07/12 16:45

S24	387	(data near3 collection) same ((form with flow\$2) or (form near3 (management or organization or software or module or program)) same ((data or information) near3 (collector or obtain or extract\$4)))	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; BM_TDB	OR	OFF	2008/07/12 16:45
S25	82	(data near3 collection) with ((form with flow\$2) or (form near3 (management or organization or software or module or program)) with ((data or information) near3 (collector or obtain or extract\$4)))	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; BM_TDB	OR	OFF	2008/07/12 16:49
S26	3	(data near3 collection) with ((form with flow\$2) or (form near3 (management or organization or software or module or program)) with ((data or information) near3 (collector or obtain or extract\$4))) same (scan\$4)	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; BM_TDB	OR	OFF	2008/07/12 16:50
S27	1	form near0 flow with (data near1 collection) with (scan\$4 or input\$4)	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; BM_TDB	OR	OFF	2008/07/12 16:52
S28	2	form near0 flow same (data near1 collection) with (scan\$4 or input\$4)	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; BM_TDB	OR	OFF	2008/07/12 16:52
S29	5	form near0 flow same (data near1 collection) same (scan\$4 or input\$4)	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; BM_TDB	OR	OFF	2008/07/12 16:52
S30	7	(form or document or paper) near0 flow same (data near1 (collection or acquisition)) same (scan\$4 or input\$4)	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; BM_TDB	OR	OFF	2008/07/12 16:53
S31	32141	(form or document or paper) near0 flow	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; BM_TDB	OR	OFF	2008/07/12 16:54

S32	91	(form or document or paper) near0 flow same ((data or information) with (collect\$4 or acquisition))	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; BM_TDB	OR	OFF	2008/07/12 16:55
S33	4	(form or document or paper) near0 flow same ((data or information) with (collect\$4 or acquisition)) and metadata	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; BM_TDB	OR	OFF	2008/07/12 16:55
S34	12	form adj1 flow same (data near2 entry)	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; BM_TDB	OR	OFF	2008/07/12 16:56
S35	170	metadata with (deficient or error or mistake or invalid) near2 (information or data)	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; BM_TDB	OR	OFF	2008/07/12 16:59
S36	74	metadata near4 (deficient or error or mistake or invalid) near2 (information or data)	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; BM_TDB	OR	OFF	2008/07/12 16:59
S37	2	metadata near4 (deficient) near2 (information or data)	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; BM_TDB	OR	OFF	2008/07/12 17:00
S38	16	metadata near4 (deficient or error or mistake or invalid) near2 (information or data) with (detect\$4 or reflect\$4 or find\$4 or locat\$4)	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; BM_TDB	OR	OFF	2008/07/12 17:01
S39	2	metadata near4 (id or identifi\$5) near3 (deficient or error or mistake or invalid) near2 (information or data)	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; BM_TDB	OR	OFF	2008/07/12 17:03

S40	12	metadata near4 (id or identifi\$5 or find\$4 or detect\$4 or reflect\$4) near3 (deficient or error or mistake or invalid) near2 (information or data)	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2008/07/12 17:05
S41	61	metadata near4 (id or identifi\$5 or find\$4 or detect\$4 or reflect\$4) near3 (deficient or error or mistake or invalid)	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2008/07/12 17:08
S42	49	S41 not S40	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2008/07/12 17:08
S43	1	metadata with hotkeys	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2008/07/12 17:12
S44	43	operator with control with metadata	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2008/07/12 17:12
S45	0	operator near3 control near3 metadata	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2008/07/12 17:12
S46	4	operator near3 (control or edit\$4) near3 metadata	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2008/07/12 17:13
S47	1	(metadata) near2 (dynamic or current or continuous or progressive\$4) near5 (entry near3 data)	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2008/07/12 17:19

S48	692	(metadata) near2 (dynamic or current or continuous or progressive\$4)	US-PG&UB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2008/07/12 17:20
S49	6	S48 with (data near1 entry)	US-PG&UB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2008/07/12 17:20
S50	12	S48 with (data near1 (entry or enter or input or collect\$4))	US-PG&UB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2008/07/12 17:21
S51	5	S48 with (data near1 (entry or enter or input or collect\$4)) and parsing	US-PG&UB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2008/07/12 17:25
S52	4	S48 with forms	US-PG&UB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2008/07/12 17:32
S53	5	S48 with (data near1 (entry or enter or input or collect\$4)) and parsing and forms	US-PG&UB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2008/07/12 17:32
S54	3	"6151584" and label	US-PG&UB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2008/07/14 09:07
S55	43	"6151584" and (validat\$6 or error or deficient)	US-PG&UB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2008/07/14 09:09

S66	1	"6151584".pn. and (validat\$6 or error or deficient)	US-PGRUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; BM_TDB	OR	OFF	2008/07/14 09:12
S67	1	"6151584".pn. and (metadata)	US-PGRUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; BM_TDB	OR	OFF	2008/07/14 09:15
S68	755	(valid\$4) near2 (data or information) near3 (Form\$1 or template\$4)	US-PGRUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; BM_TDB	OR	OFF	2008/07/14 09:23
S69	0	(valid\$4) near2 (data or information) near3 (Form\$1 or template\$4) with field with (exit\$4)	US-PGRUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; BM_TDB	OR	OFF	2008/07/14 09:25
S60	19	(valid\$4) near2 (data or information) near3 (Form\$1 or template\$4) with field	US-PGRUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; BM_TDB	OR	OFF	2008/07/14 09:26
S61	11	(valid\$4) near2 (data or information) near3 (Form\$1 or template\$4) with field and page	US-PGRUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; BM_TDB	OR	OFF	2008/07/14 09:31
S62	2	"7103811".pn.	US-PGRUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; BM_TDB	OR	OFF	2008/07/14 10:08
S63	2	"7103811".pn. and metadata	US-PGRUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; BM_TDB	OR	OFF	2008/07/14 10:08



S64	10	identif\$6 near1 (deficient or invalid or error) near1 (information or data) near1 (using or "with" or "from") near1 metadata	US-PGPUB; USPAT; USOCR; FPRS; EPC; JPC; DERWENT; BM_TDB	OR	OFF	2008/07/14 10:11
S65	5	identif\$6 near2 (deficient or invalid or error) near2 (information or data) near3 metadata	US-PGPUB; USPAT; USOCR; FPRS; EPC; JPC; DERWENT; BM_TDB	OR	OFF	2008/07/14 10:12

7/14/2008 12:10:05 PM

C:\Documents and Settings\vkoppikar\My Documents\EAST\Workspaces\10777649.wsp